



## SAMSUNG ANDROID 12 WITH KNOX 3.X STIG CONFIGURATION TABLES

Version 1, Release 1

**15 December 2021** 

Developed by Samsung and DISA for the DoD

## LIST OF TABLES

	Page
Table 1: Configuration Policy Rules for COBO	
Table 2: Configuration Policy Rules for COPE	
Table 3: KPE Equivalent APIs	
Table 4: KSP App Separation	11

Unified Endpoint Management (UEM) empowers enterprise IT administrators with powerful tools to centrally set up, deploy, secure, control, and maintain desktops, laptops, smartphones, tablets, wearables, and Internet of Things (IoT) devices. Samsung has collaborated with the leading UEM providers to ease the management of Samsung devices, which feature the Knox Platform for Enterprise. To set up Samsung devices using popular UEM platforms, go to: <a href="https://docs.samsungknox.com/admin/uem/index.htm">https://docs.samsungknox.com/admin/uem/index.htm</a>

All policies listed in the document are implemented using AE APIs. If your management tool does not implement the AE policy, it may be possible there is a KPE API that could be used as a substitute – either directly by your management tool, or via KSP. In this situation, look for an "\*" next to the AE API in the comment of the associated policy row – an "\*" indicates a KPE substitute is available. In an effort to keep these tables as simple as possible, substitute KPE APIs will not be listed in the tables here. Please refer to table 3 in this document for the full list of available substitutions.

In some cases, a KPE API could be used to allow additional features while remaining STIG compliant. Details of this are provided in the comment of the associated policy row.

**Table 1: Configuration Policy Rules for COBO** 

Policy Group	Policy Rule	Options	Settings	Related Requirement	Comment
Device Enrollment Configuration	Default device enrollment	Fully managed, Work Profile for company-owned devices, Work Profile for personally-owned devices	Fully managed	KNOX-12-110010	Enroll device as an Android Enterprise device.
Device User Agreement	User agreement		Include DoD- mandated warning banner text in User Agreement	KNOX-12-110020	Include the warning banner text in the User Agreement.  Alternatively, but not preferred, include on the lock screen information:  API: setDeviceOwnerLockScreenInfo

Policy Group	Policy Rule	Options	Settings	Related	Comment
Device Password Policies	Minimum password quality	Unspecified, Something, Numeric, Numeric(Complex), Alphabetic, Alphanumeric, Complex	Numeric(Complex)	Requirement  KNOX-12-110030, KNOX-12-110040	This allows for PIN code.  API: setPasswordQuality *  If the management tool does not support "Numeric(Complex)" but does support "Numeric", KPE can be used to achieve STIG compliance. In this case, configure this policy with value "Numeric" and use an additional KPE policy, (innately by management tool or via KSP) "Maximum Numeric Sequence Length" with value "4".
Device Password Policies	Minimum password length	0+ characters	Six characters	KNOX-12-110050	API: setPasswordMinimumLength *
Device Password Policies	Max password failures for local wipe	0+	10 attempts	KNOX-12-110060	API: setMaximumFailedPasswordsForWipe *
Device Password Policies	Max time to screen lock	0+ minutes	15 minutes	KNOX-12-110070	API: setMaximumTimeToLock *
Device Restrictions	Face	Enable/Disable	Disable	KNOX-12-110080	API: setKeyguardDisabledFeatures, KEYGUARD_DISABLE_FACE  This policy is included to allow a Samsung Android device to be deployed as an AE device without an activated KPE premium license. If a license is activated, Facial Recognition will be automatically disabled. In this case, this policy does not need to be configured for STIG compliance, as Face as a biometric will be disabled.
Device Restrictions	Trust agents	Enable/Disable	Disable	KNOX-12-110090	API: setKeyguardDisabledFeatures, KEYGUARD_DISABLE_TRUST_AGENTS
Device Restrictions	Backup service	Enable/Disable	Disable	KNOX-12-110100	API: setBackupServiceEnabled *

Policy Group	Policy Rule	Options	Settings	Related Requirement	Comment
Device Restrictions	Debugging features	Allow/Disallow	Disallow	KNOX-12-110110	API: addUserRestriction, DISALLOW DEBUGGING FEATURES *
Device Restrictions	Bluetooth	Allow/Disallow	AO decision	KNOX-12-110120	Guidance is provided for AO to approve Bluetooth.  API: addUserRestriction, DISALLOW BLUETOOTH *
Device Restrictions	Mount physical media	Allow/Disallow	Disallow	KNOX-12-110130	Not applicable for devices that do not support removable storage media.  Disables use of all removable storage, e.g., SD cards, USB
					thumb drives.
					API: addUserRestriction, DISALLOW_MOUNT_PHYSICAL_MEDIA *
					If your deployment requires the use of SD cards, KPE can be used to allow its usage in a STIG approved configuration. In this case, do not configure this policy, and instead replace with KPE policy (innately by management tool or via KSP) "Enforce external storage encryption" with value "enable".
Device Restrictions	USB file transfer	Allow/Disallow	Disallow	KNOX-12-110140, KNOX-12-110150	DeX drag and drop file transfer capabilities will be prohibited, but all other DeX capabilities remain useable.  API: addUserRestriction, DISALLOW USB FILE TRANSFER *
Device Restrictions	Config tethering	Allow/Disallow	Disallow	KNOX-12-110160	API: addUserRestriction, DISALLOW_CONFIG_TETHERING *  If deployment requires the use of Mobile Hotspot & Tethering, KPE can be used to allow its usage in a STIG- approved configuration. In this case, do not configure this policy, and instead replace with KPE policy (innately by management tool or via KSP) "Allow open Wi-Fi connection" with value "disable" and add Training Topic "Don't use Wi-Fi Sharing" (See Supplemental document for additional information.)

Policy Group	Policy Rule	Options	Settings	Related Requirement	Comment
Device	Config	Allow/Disallow	Disallow	KNOX-12-110170	API: addUserRestriction,
Restrictions	date/time				DISALLOW_CONFIG_DATE_TIME *
Device Policy Management	Certificates		Include DoD certificates in Work Profile	KNOX-12-110180	API: installCaCert *
Device Restrictions	List of approved apps listed in managed Google Play	List of apps	List only approved work apps	KNOX-12-110190, KNOX-12-110200	*
Device Restrictions	Unredacted notifications	Allow/Disallow	Disallow	KNOX-12-110210	API: setKeyguardDisabledFeatures, KEYGUARD_DISABLE_UNREDACTED_NOTIFICATI ONS
Device Restrictions	Security logging	Enable/Disable	Enable	KNOX-12-110220	Management tool must provide means to read the Log in the console.  API: setSecurityLoggingEnabled *
Device Restrictions	Modify accounts	Allow/Disallow	Disallow	KNOX-12-110230, KNOX-12-110240	API: addUserRestriction, DISALLOW MODIFY ACCOUNTS *
Device Restrictions	Config credentials	Allow/Disallow	Disallow	KNOX-12-110240 KNOX-12-110250	API: addUserRestriction, DISALLOW CONFIG CREDENTIALS *
Device Restrictions	Install from unknown sources globally	Allow/Disallow	Disallow	KNOX-12-110260	API: addUserRestriction, DISALLOW_INSTALL_UNKNOWN_SOURCES_GLOB ALLY *
Device Restrictions	CC mode	Enable/Disable	Enable	KNOX-12-110270, KNOX-12-110280	API: setCommonCriteriaModeEnabled *

**Table 2: Configuration Policy Rules for COPE** 

Policy Group	Policy Rule	Options	Settings	Related Requirement	Comment
Device Enrollment Configuration	Default device enrollment	Fully managed, Work Profile for company-owned devices, Work Profile for personally-owned devices	Work Profile for company-owned devices	KNOX-12-210010	Enroll device as an Android Enterprise device.
Device User Agreement	User agreement		Include DoD- mandated warning banner text in User Agreement	KNOX-12-21002	Include the warning banner text in the User Agreement.  Alternatively, but not preferred, include on the Lock screen information:  API: setDeviceOwnerLockScreenInfo
Device Password Policies	Minimum password quality	Unspecified, Something, Numeric, Numeric(Complex), Alphabetic, Alphanumeric, Complex	Numeric(Complex)	KNOX-12-210030, KNOX-12-210040	This allows for PIN code.  API: setPasswordQuality  If the management tool does not support "Numeric (Complex)" but does support "Numeric", KPE can be used to achieve STIG compliance. In this case, configure this policy with value "Numeric" and use an additional KPE policy - natively by management tool or via KSP - "Maximum Numeric Sequence Length" with value "4".
Device Password Policies	Minimum password length	0+ characters	Six characters	KNOX-12-210050	API: setPasswordMinimumLength
Device Password Policies	Max password failures for local wipe	0+	10 attempts	KNOX-12-210060	API: setMaximumFailedPasswordsForWipe
Device Password Policies	Max time to screen lock	0+ minutes	15 minutes	KNOX-12-210070	API: setMaximumTimeToLock
Device Restrictions	Face	Enable/Disable	Disable	KNOX-12-210080	API: setKeyguardDisabledFeatures, KEYGUARD_DISABLE_FACE

Policy Group	Policy Rule	Options	Settings	Related Requirement	Comment
					This policy is included to allow a Samsung Android device to be deployed as an AE device without an activated KPE premium license. If a license is activated, Facial Recognition will be automatically disabled. In this case, this policy does not need to configured for STIG compliance, as Face as a biometric will be disabled.
Device Restrictions	Trust agents	Enable/Disable	Disable	KNOX-12-210090	API: setKeyguardDisabledFeatures, KEYGUARD_DISABLE_TRUST_AGENTS
Device Restrictions	Debugging features	Allow/Disallow	Disallow	KNOX-12-210100	API: addUserRestriction, DISALLOW DEBUGGING FEATURES *
Device Restrictions	Bluetooth	Allow/Disallow	AO decision	KNOX-12-210110	Guidance is provided for AO to approve Bluetooth.  API: addUserRestriction, DISALLOW BLUETOOTH *
Device Restrictions	Mount physical media	Allow/Disallow	Disallow	KNOX-12-210120	Not applicable for devices that do not support removable storage media.  Disables use of all removable storage, e.g., SD cards and USB thumb drives.  API: addUserRestriction, DISALLOW_MOUNT_PHYSICAL_MEDIA *  If deployment requires the use of SD cards, KPE policy can be used to allow its usage in a STIG-approved configuration. In this case, do not configure this policy, and instead replace with KPE policy (innately by management tool or via KSP) "Enforce external storage encryption" with value "enable".
Device Restrictions	USB file transfer	Allow/Disallow	Disallow	KNOX-12-210130, KNOX-12-210140	DeX drag & drop file transfer capabilities will be prohibited, but all other DeX capabilities remain useable.  API: addUserRestriction, DISALLOW USB FILE TRANSFER *
Device Restrictions	Config tethering	Allow/Disallow	Disallow	KNOX-12-210150	API: addUserRestriction, DISALLOW_CONFIG_TETHERING *

Policy Group	Policy Rule	Options	Settings	Related Requirement	Comment
					If deployment requires the use of Mobile Hotspot & Tethering, KPE policy can be used to allow its usage in a STIG approved configuration. In this case, do not configure this policy, and instead replace with KPE policy (innately by management tool or via KSP) "Allow open Wi-Fi connection" with value "disable" and add Training Topic "Don't use Wi-Fi Sharing" (see supplemental document for additional information)
Device Restrictions	Config date/time	Allow/Disallow	Disallow	KNOX-12-210160	API: addUserRestriction, DISALLOW CONFIG DATE TIME *
Work Profile Policy Management	Certificates		Include DoD certificates in work profile	KNOX-12-210170	API: installCaCert *
Work Profile Restrictions	List of approved apps listed in managed Google Play	List of apps	List only approved work apps	KNOX-12-210180, KNOX-12-210190	*
Work Profile Restrictions	Unredacted notifications	Allow/Disallow	Disallow	KNOX-12-210200	API: setKeyguardDisabledFeatures, KEYGUARD_DISABLE_UNREDACTED_NOTIFICATI ONS *
Work Profile Restrictions	Security logging	Enable/Disable	Enable	KNOX-12-210210	Management tool must provide means to read the Log in the console.  API: setSecurityLoggingEnabled *
Work Profile Restrictions	Modify accounts	Allow/Disallow	Disallow	KNOX-12-210220, KNOX-12-210230	API: addUserRestriction, DISALLOW_MODIFY_ACCOUNTS *
Work Profile Restrictions	Cross profile copy/paste	Allow/Disallow	Disallow	KNOX-12-210240	API: addUserRestriction, DISALLOW_CROSS_PROFILE_COPY_PASTE *
Work Profile Restrictions	Config credentials	Allow/Disallow	Disallow	KNOX-12-210250	API: addUserRestriction, DISALLOW_CONFIG_CREDENTIALS *
Work Profile Restrictions	Install from unknown sources globally	Allow/Disallow	Disallow	KNOX-12-210260	API: addUserRestriction, DISALLOW_INSTALL_UNKNOWN_SOURCES_GLOB ALLY *

Policy Group	Policy Rule	Options	Settings	Related Requirement	Comment
Work Profile Restrictions	CC mode	Enable/Disable	Enable	KNOX-12-210270, KNOX-12-210280	API: setCommonCriteriaModeEnabled *

## **APPENDIX**

**Table 3: KPE Equivalent APIs** 

STIG LISTED AE API	Values	Available KPE Substitute API Available in Case of Management Tool Not Supporting AE API
addUserRestriction	DISALLOW_BLUETOOTH	RestrictionPolicy allowBluetooth
	DISALLOW_CONFIG_CREDENTIALS	CertificatePolicy allowUserRemoveCertificates
	DISALLOW_CONFIG_DATE_TIME	DateTimePolicy setDateTimeChangeEnabled
	DISALLOW_CONFIG_TETHERING	RestrictionPolicy setTethering
		Alternatively: WiFiPolicy allowOpenWifiAp
	DISALLOW CROSS PROFILE COPY PASTE	RCPPolicy allowShareClipboardDataToOwner
	DISALLOW_DEBUGGING_FEATURES	RestrictionPolicy allowDeveloperMode
	DISALLOW_INSTALL_UNKNOWN_SOURCES_GLOBALLY	RestrictionPolicy setAllowNonMarketApps
	DISALLOW_MODIFY_ACCOUNTS	DeviceAccountPolicy addAccountsToAdditionBlackList
	DISALLOW_MOUNT_PHYSICAL_MEDIA	RestrictionPolicy setSdCardState
		Alternatively: DeviceSecurityPolicy setExternalStorageEncryption
	DISALLOW_USB_FILE_TRANSFER	RestrictionPolicy setUsbMediaPlayerAvailability
installCaCert	DoD Root and Intermediate Certs	CertificateProvisioning installCertificateToKeystore

STIG LISTED AE API	Values	Available KPE Substitute API Available in Case of Management Tool Not Supporting AE API
managed Google Play	List only approved work apps	ApplicationPolicy addAppPackageNameToWhiteList, ApplicationPolicy addAppPackageNameToBlackList, ApplicationPolicy addAppSignatureToWhiteList, ApplicationPolicy addAppSignatureToBlackList
setBackupServiceEnabled	FALSE	RestrictionPolicy setBackup
setCommonCriteriaModeEnabled	TRUE	AdvancedRestrictionPolicy setCCMode
setKeyguardDisabledFeatures	KEYGUARD_DISABLE_UNREDACTED_NOTIFICATIONS	RCPPolicy setAllowChangeDataSyncPolicy NOTIFICATIONS, SANITIZE_DATA, FALSE
setMaximumFailedPasswordsForWipe	10	BasePasswordPolicy setMaximumFailedPasswordsForWipe
setMaximumTimeToLock	900	BasePasswordPolicy setMaximumTimeToLock
setPasswordMinimumLength	6	BasePasswordPolicy setPasswordMinimumLength
setPasswordQuality	Numeric(Complex)	BasePasswordPolicy setPasswordQuality  Alternatively: PasswordPolicy setMaximumNumericSequenceLength(2) with password quality of Numeric.
setSecurityLoggingEnabled	TRUE	AuditLog enableAuditLog

To implement the Knox app separation feature, the policies listed in Table 1: Configuration Policy Rules for COBO must be used in conjunction with the policies listed in the following table:

**Table 4: KSP App Separation** 

Policy Group	Policy Rule	KSP Policy Mapping
App Separation	Location	<ol> <li>App Sep Policies</li> <li>Enable App Sep Policies [enable]</li> <li>Allow Listing Policies</li> <li>Set Location [inside or outside]</li> </ol>
App Separation	App List	<ol> <li>App Sep Policies</li> <li>Enable App Sep Policies [enable]</li> <li>Allow Listing Policies</li> <li>Configure Apps List [list of packages]</li> </ol>