



VMWARE VSPHERE 7.0 SECURITY TECHNICAL IMPLEMENTATION GUIDE (STIG) OVERVIEW

26 July 2023

Developed by VMware and DISA for the DOD

Trademark Information

Names, products, and services referenced within this document may be the trade names, trademarks, or service marks of their respective owners. References to commercial vendors and their products or services are provided strictly as a convenience to our users, and do not constitute or imply endorsement by the Defense Information Systems Agency (DISA) of any nonfederal entity, event, product, service, or enterprise.

TABLE OF CONTENTS

		P:	age		
1.	INTROI	DUCTION	1		
	1.1 Exec	eutive Summary	1		
	1.2 Auth	ority	1		
	1.3 Vuln	erability Severity Category Code Definitions	2		
		1.4 STIG Distribution			
	1.5 SRG Compliance Reporting				
		1.6 Document Revisions			
		1.7 Other Considerations			
	1.8 Prod	uct Approval Disclaimer	3		
2	ACCECC	MENT CONSIDERATIONS	1		
۷٠					
		rity Assessment Information			
	2.1.1	VMware vSphere 7.0 ESXi STIG			
	2.1.2	VMware vSphere 7.0 Virtual Machine STIG			
	2.1.3	VMware vSphere 7.0 vCenter STIG	4		
	2.1.4	VMware vSphere 7.0 vCenter Appliance ESX Agent Manager (EAM) STIG	4		
	2.1.5	VMware vSphere 7.0 vCenter Appliance Lookup Service STIG	4		
	2.1.6	VMware vSphere 7.0 vCenter Appliance Performance Charts (Perfcharts) STIG.	4		
	2.1.7	VMware vSphere 7.0 vCenter Appliance Photon Operating System (OS) STIG	4		
	2.1.8	VMware vSphere 7.0 vCenter Appliance PostgreSQL STIG	5		
	2.1.9	VMware vSphere 7.0 vCenter Appliance RhttpProxy STIG	5		
	2.1.10	VMware vSphere 7.0 vCenter Appliance Secure Token Service (STS) STIG	5		
	2.1.11	VMware vSphere 7.0 vCenter Appliance User Interface (UI) STIG	5		
	2.1.12	VMware vSphere 7.0 Appliance Management Interface (VAMI) STIG	5		

UNCLASSIFIED

LIST OF TABLES

P	Page	e
Table 1-1: Vulnerability Severity Category Code Definitions	2	2

1. INTRODUCTION

1.1 Executive Summary

The VMware vSphere 7.0 Security Technical Implementation Guides (STIG) provide security policy and configuration requirements for the use of vSphere 7.0 in the Department of Defense (DOD). The following comprise the VMware vSphere 7.0 STIGs:

- VMware vSphere 7.0 vCenter STIG.
- VMware vSphere 7.0 Virtual Machine STIG.
- VMware vSphere 7.0 ESXi STIG.
- VMware vSphere 7.0 VAMI STIG.
- VMware vSphere 7.0 vCenter Appliance EAM STIG.
- VMware vSphere 7.0 vCenter Appliance Lookup Service STIG.
- VMware vSphere 7.0 vCenter Appliance Perfcharts STIG.
- VMware vSphere 7.0 vCenter Appliance Photon OS STIG.
- VMware vSphere 7.0 vCenter Appliance PostgreSQL STIG.
- VMware vSphere 7.0 vCenter Appliance RhttpProxy STIG.
- VMware vSphere 7.0 vCenter Appliance STS STIG.
- VMware vSphere 7.0 vCenter Appliance UI STIG.

The VMware vSphere 7.0 STIGs presume operation in an environment compliant with all applicable DOD guidance.

1.2 Authority

Department of Defense Instruction (DODI) 8500.01 requires that "all IT [information technology] that receives, processes, stores, displays, or transmits DOD information will be [...] configured [...] consistent with applicable DOD cybersecurity policies, standards, and architectures." The instruction tasks that DISA "develops and maintains control correlation identifiers (CCIs), security requirements guides (SRGs), security technical implementation guides (STIGs), and mobile code risk categories and usage guides that implement and are consistent with DOD cybersecurity policies, standards, architectures, security controls, and validation procedures, with the support of the NSA/CSS [National Security Agency/Central Security Service], using input from stakeholders, and using automation whenever possible." This document is provided under the authority of DODI 8500.01.

Although the use of the principles and guidelines in these SRGs/STIGs provides an environment that contributes to the security requirements of DOD systems, applicable NIST SP 800-53 cybersecurity controls must be applied to all systems and architectures based on the Committee on National Security Systems (CNSS) Instruction (CNSSI) 1253.

1.3 Vulnerability Severity Category Code Definitions

Severity Category Codes (referred to as CAT) are a measure of vulnerabilities used to assess a facility or system security posture. Each security policy specified in this document is assigned a Severity Category Code of CAT I, II, or III.

Table 1-1: Vulnerability Severity Category Code Definitions

Category	DISA Category Code Guidelines
CAT I	Any vulnerability, the exploitation of which will directly and
	immediately result in loss of Confidentiality, Availability, or Integrity.
CAT II	Any vulnerability, the exploitation of which has a potential to result in
	loss of Confidentiality, Availability, or Integrity.
CAT III	Any vulnerability, the existence of which degrades measures to protect
	against loss of Confidentiality, Availability, or Integrity.

1.4 STIG Distribution

Parties within the DOD and federal government's computing environments can obtain the applicable STIG from the DOD Cyber Exchange website at https://cyber.mil/. This site contains the latest copies of STIGs, SRGs, and other related security information. Those without a Common Access Card (CAC) that has DOD Certificates can obtain the STIG from https://public.cyber.mil/.

1.5 SRG Compliance Reporting

All technical NIST SP 800-53 requirements were considered while developing this STIG. Requirements that are applicable and configurable will be included in the final STIG. A report marked Controlled Unclassified Information (CUI) will be available for items that did not meet requirements. This report will be available to component authorizing official (AO) personnel for risk assessment purposes by request via email to: disa.stig_spt@mail.mil.

1.6 Document Revisions

Comments or proposed revisions to this document should be sent via email to the following address: disa.stig_spt@mail.mil. DISA will coordinate all change requests with the relevant DOD organizations before inclusion in this document. Approved changes will be made in accordance with the DISA maintenance release schedule.

1.7 Other Considerations

DISA accepts no liability for the consequences of applying specific configuration settings made on the basis of the SRGs/STIGs. It must be noted that the configuration settings specified should be evaluated in a local, representative test environment before implementation in a production

environment, especially within large user populations. The extensive variety of environments makes it impossible to test these configuration settings for all potential software configurations.

For some production environments, failure to test before implementation may lead to a loss of required functionality. Evaluating the risks and benefits to a system's particular circumstances and requirements is the system owner's responsibility. The evaluated risks resulting from not applying specified configuration settings must be approved by the responsible AO. Furthermore, DISA implies no warranty that the application of all specified configurations will make a system 100 percent secure.

Security guidance is provided for the DOD. While other agencies and organizations are free to use it, care must be given to ensure that all applicable security guidance is applied at both the device hardening level and the architectural level due to the fact that some settings may not be configurable in environments outside the DOD architecture.

1.8 Product Approval Disclaimer

The existence of a STIG does not equate to DOD approval for the procurement or use of a product.

STIGs provide configurable operational security guidance for products being used by the DOD. STIGs, along with vendor confidential documentation, also provide a basis for assessing compliance with cybersecurity controls/control enhancements, which supports system assessment and authorization (A&A) under the DOD Risk Management Framework (RMF). Department of Defense AOs may request available vendor confidential documentation for a product that has a STIG for product evaluation and RMF purposes from disa.stig_spt@mail.mil. This documentation is not published for general access to protect the vendor's proprietary information.

AOs have the purview to determine product use/approval in accordance with (IAW) DOD policy and through RMF risk acceptance. Inputs into acquisition or pre-acquisition product selection include such processes as:

- National Information Assurance Partnership (NIAP) evaluation for National Security Systems (NSS) (https://www.niap-ccevs.org/) IAW CNSSP #11.
- National Institute of Standards and Technology (NIST) Cryptographic Module Validation Program (CMVP) (https://csrc.nist.gov/groups/STM/cmvp/) IAW federal/DOD mandated standards.
- DOD Unified Capabilities (UC) Approved Products List (APL) (https://www.disa.mil/network-services/ucco) IAW DODI 8100.04.

2. ASSESSMENT CONSIDERATIONS

2.1 Security Assessment Information

VMware vSphere 7.0 includes a number of components, each requiring separate STIG coverage. The following STIGs have been developed for vSphere 7.0 components. As STIGs are developed for other vSphere 7.0 components, they will be included here.

2.1.1 VMware vSphere 7.0 ESXi STIG

The VMware vSphere 7.0 ESXi STIG must be used to enhance the security configuration of the ESXi hypervisor hosting virtual machines.

2.1.2 VMware vSphere 7.0 Virtual Machine STIG

The VMware vSphere 7.0 Virtual Machine STIG must be used to enhance the security configuration of virtual machines hosted by the ESXi 7.0 hypervisor.

2.1.3 VMware vSphere 7.0 vCenter STIG

The VMware vSphere 7.0 vCenter STIG must be used to enhance the security configuration of the vCenter Server management application.

2.1.4 VMware vSphere 7.0 vCenter Appliance ESX Agent Manager (EAM) STIG

The VMware vSphere 7.0 vCenter Appliance EAM automates the process of deploying and managing vSphere ESX Agents while extending the function of an ESXi host to provide additional services that a vSphere solution requires. EAM deploys agent virtual machines (VMs), installs vSphere Installation Bundles (VIBs) in ESX, and integrates with DvFilter.

2.1.5 VMware vSphere 7.0 vCenter Appliance Lookup Service STIG

Lookup Service provides a central location for services to publish their functionalities as service endpoints. vCenter Services and external solutions can query Lookup Service to list the services and its endpoints for specific functionality.

2.1.6 VMware vSphere 7.0 vCenter Appliance Performance Charts (Perfcharts) STIG

The Perfcharts service collects and processes statistical performance data for managed entities into reports in image format. It then provides that image to the vSphere Web Client.

2.1.7 VMware vSphere 7.0 vCenter Appliance Photon Operating System (OS) STIG

Photon is the underlying operating system for the vCenter Appliance. It is a lightweight Linux operating system that is optimized to run on vSphere.

2.1.8 VMware vSphere 7.0 vCenter Appliance PostgreSQL STIG

PostgreSQL is the embedded database on the vCenter appliance.

2.1.9 VMware vSphere 7.0 vCenter Appliance RhttpProxy STIG

RhttpProxy is a simple, light service that aggregates and reverse proxies vCenter services. This simplifies ports and certificate management by having one point of entry from a vCenter component perspective.

2.1.10 VMware vSphere 7.0 vCenter Appliance Secure Token Service (STS) STIG

The Secure Token Service issues, validates, and renews security tokens for vCenter. STS authenticates the vCenter users based on the primary credentials and constructs a SAML token that contains user attributes.

2.1.11 VMware vSphere 7.0 vCenter Appliance User Interface (UI) STIG

This is the HTML5 vCenter web interface.

2.1.12 VMware vSphere 7.0 Appliance Management Interface (VAMI) STIG

The VAMI is a web interface that manages appliance-level functions such as host name, basic networking, Network Time Protocol (NTP), updates, syslog, root password reset, and more.