



CISCO IOS XE SWITCH STIG REVISION HISTORY

25 October 2023

Developed by DISA for the DOD

| REVISION HISTORY | | |
|---|---|-----------------|
| Document Revised | Description of Change | Release Date |
| - Cisco IOS XE Switch L2S STIG, V2R4 | Cisco IOS XE Switch L2S STIG, V2R5: - CISC-L2-000130, CISC-L2-000140, CISC- L2-000150, CISC-L2-000170 - Removed 802.1x note from check text. | 25 October 2023 |
| - Cisco IOS XE Switch RTR STIG, V2R4 | Cisco IOS XE Switch RTR STIG, V2R5: - CISC-RT-000020, CISC-RT-000030, CISC- RT-000040 - Merged into CISC-RT-000050. - CISC-RT-000050 - Updated requirement to reflect OSPF and BGP keychains. - CISC-RT-000120 - Updated severity to CAT I and rewrote to merge CISC-RT-000130 and CISC-RT-000140. - CISC-RT-000130, CISC-RT-000140 - Merged into CISC-RT-000120. - CISC-RT-000530 - Update check to correct syntax. | |
| - Cisco IOS XE Switch NDM STIG, V2R6 | Cisco IOS XE Switch NDM STIG, V2R7: CISC-ND-000290 - Updated the check to reference interface ACLs. CISC-ND-000720 - Rule number updated due to changes in content management system. Revision History format for multipart STIGs revised to ensure clarity in the versioning. | |

| REVISION HISTORY | | | | |
|--------------------|--|---|--------------|--|
| Revision Number | Document Revised | Description of Change | Release Date | |
| V2R8 | - Cisco IOS XE Switch STIG, V2R6 | Cisco IOS XE Switch L2S STIG, V2R4: CISC-L2-000090 - Removed "and host" from check text. Cisco IOS XE Switch RTR STIG, V2R4: CISC-RT-000760, CISC-RT-000770 - Removed reference to QOS DODIN Technical Profile. Cisco IOS XE Switch NDM STIG, V2R6: No change in this quarter. | 26 July 2023 | |

| REVISION HISTORY | | | | |
|--------------------|--|--|-----------------|--|
| Revision Number | Document Revised | Description of Change | Release Date | |
| V2R7 | - Cisco IOS XE Switch STIG, V2R6 | Cisco IOS XE Switch NDM STIG, V2R6: CISC-ND-000720 - Changed idle timeout to five minutes. CISC-ND-001370 - Changed requirement to utilize redundant authentication servers. Updated CCI. CISC-ND-001450 - Changed requirement to utilize redundant syslog servers. Cisco IOS XE Switch RTR STIG, V2R3: No change in this quarter. | 07 June 2023 | |
| | | Cisco IOS XE Switch L2S STIG, V2R3: - No change in this quarter. | | |
| V2R6 | - Cisco IOS XE Switch STIG, V2R5 | Cisco IOS XE Switch NDM STIG, V2R5: CISC-ND-000470 - Updated check and fix to add call home feature. CISC-ND-000470 - Updated check text for "service pad". CISC-ND-001220 - Removed requirement; default policy meets requirement. CISC-ND-001370 - Updated check and fix to allow LOCAL access to CONSOLE. Some Rule Keys were updated due to changes in content management system. | 27 April 2023 | |
| | | Cisco IOS XE Switch RTR STIG, V2R3: - CISC-RT-000040 - Updated check and fix for OSPFv2. - CISC-RT-000040 - Updated check and fix for BGP TCP-AO. - CISC-RT-000080 - Removed and addressed in the NDM STIG. | | |
| V2R5 | - Cisco IOS XE Switch STIG, V2R4 | Cisco IOS XE Switch NDM STIG, V2R4: CISC-ND-001220 - Added a note concerning control plane default policy. Cisco IOS XE Switch L2S STIG, V2R3: CISC-L2-000010 - Removed requirement; it is duplicated in NDM. CISC-L2-000020 - Add CCI to requirement. CISC-L2-000060; CISC-L2-000070 - Removed capability requirement. | 27 October 2022 | |

| REVISION HISTORY | | | | |
|--------------------|--|--|-----------------|--|
| Revision Number | Document Revised | Description of Change | Release Date | |
| | | CISC-L2-000080 - Removed requirement and rolled into CISC-L2-000020. CISC-L2-000090 - Corrected rule title, check, and fix text. CISC-L2-000140 - Added a note exempting 802.1x configured ports. Cisco IOS XE Switch RTR STIG, V2R2: | | |
| | | CISC-RT-000070 - Removed requirement; it is duplicated in NDM. CISC-RT-000270 - Corrected typo in check and fix text. | | |
| V2R4 | - Cisco IOS XE Switch STIG, V2R3 | Cisco IOS XE Switch NDM STIG, V2R3: CISC-ND-000010, CISC-ND-000140, CISC-ND-000720, CISC-ND-001370 - Modified Check and Fix commands to match other requirements. CISC-ND-000210 - Modified the Rule Title. CISC-ND-000250, CISC-ND-001290 - Removed requirement; duplicate of CISC- ND-001260. CISC-ND-000530 - Removed requirement; merged with CISC-ND-001200. CISC-ND-000940, CISC-ND-001240 - Removed requirement; duplicate of CISC- ND-000210. CISC-ND-001000 - Updated Check and Fix to remove logging host. CISC-ND-001040, CISC-ND-001050 - Removed requirement; merged with CISC- ND-001030. CISC-ND-001200 - Modified CCIs to merge in requirement CISC-ND-000530, removed HTTPS example in Check and Fix, and added note to Check referring to SHA1. CISC-ND-001310 - Merged with requirement CISC-ND-001450. CISC-ND-001310 and removed logging trap from Check and Fix. | 27 July 2022 | |
| V2R3 | - Cisco IOS XE Switch STIG, V2R2 | Cisco IOS XE Switch L2S STIG, V2R2: | 27 October 2021 | |

| REVISION HISTORY | | | | |
|--------------------|--|--|---------------|--|
| Revision Number | Document Revised | Description of Change | Release Date | |
| | | CISC-L2-000130, CISC-L2-000150, CISC-L2-000170 - Updated requirement to exempt VLANs managed via 802.1x. Cisco IOS XE Switch NDM STIG, V2R2: CISC-ND-000490 - Updated vulnerability discussion to allow secure network location for "break glass" passwords. CISC-ND-001440 - Updated the requirement to specify N/A when not using PKI. | | |
| V2R2 | - Cisco IOS XE Switch STIG, V2R1 | Cisco IOS XE Switch L2S STIG, V2R1: DISA migrated the Cisco IOS XE Switch L2S STIG to a new content management system. The new content management system renumbered all Groups (V-numbers) and Rules (SV-numbers). With the new Group and Rule numbers, DISA incremented the version number from V1R1 to V2R1. CISC-L2-000160 - Corrected configuration example in check and fix content. Cisco IOS XE Switch RTR STIG, V2R1: DISA migrated the Cisco IOS XE Switch RTR STIG to a new content management system. The new content management system renumbered all Groups (V-numbers) and Rules (SV-numbers). With the new Group and Rule numbers, DISA incremented the version number from V1R1 to V2R1. CISC-RT-000235 - Added requirement to enable IPv4 and IPv6 CEF. CISC-RT-000236 - Added requirement to set hop limit to at least 32 for IPv6 stateless auto-configuration deployments. CISC-RT-000237 - Added requirement to prohibit use of IPv6 Site Local addresses. CISC-RT-000391 - Added requirement to suppress IPv6 Router Advertisements at external interfaces. CISC-RT-000392 - Added requirement to drop IPv6 undetermined transport packets. | 23 April 2021 | |

| REVISION HISTORY | | | |
|--------------------|--|--|-----------------|
| Revision Number | Document Revised | Description of Change | Release Date |
| | | CISC-RT-000393 - Added requirement to drop IPv6 packets with a Routing Header type 0, 1, or 3-255. CISC-RT-000394 - Added requirement to drop IPv6 packets containing a Hop-by-Hop header with invalid option type values. CISC-RT-000395 - Added requirement to drop IPv6 packets containing a Destination Option header with invalid option type values. CISC-RT-000396 - Added requirement to drop IPv6 packets containing an extension header with the Endpoint Identification option. CISC-RT-000397 - Added requirement to drop IPv6 packets containing the NSAP address option within Destination Option header. CISC-RT-000398 - Added requirement to drop IPv6 packets containing a Hop-by-Hop or Destination Option extension header with an undefined option type. | |
| V2R1 | - Cisco IOS XE Switch STIG, V1R1 | Cisco IOS XE Switch NDM STIG, V2R1: - DISA migrated the Cisco IOS XE Switch NDM STIG to a new content management system. The new content management system renumbered all Groups (V-numbers) and Rules (SV-numbers). With the new Group and Rule numbers, DISA incremented the version number from V1R1 to V2R1. - CISC-ND-000140 - Updated check and fix to include log-input on deny statement. - CISC-ND-001280 - Removed requirement. | 23 October 2020 |
| V1R1 | - N/A | - Initial Release. | 08 May 2020 |